

## ANTIHISTAMINES

Antihistamines need to be stopped **7 days** prior to allergy testing

Actifed	Cetirizine	Extendryl	Rutuss
Advil Allergy	Chlorpheniramine	Fexofenadine	Ryna
Advil PM	Clortrimeton	Hydroxyzine	Rynatan
Alavert	Clarinet	Hyzine	Ryneze
Allegra	Claritin	Lodrane	Semprex
Allerhist	Clemastine	Loratadine	Singlet
Allertan	Cogentin	Nyquil	Sominex
Allerx	Comtrex	Omnaris nasal spray	
Astelin nasal spray	Contac	Optivar eye drops	Tandur
Astepro nasal spray	Coricidin	Pataday	Travist
Atarax	Cyproheptadine	Patanase nasal spray	Temaril
Atrohist	Deconamine	Patanol eye drops	Theraflu
BC Cold	Dimetapp	PediaCare	Triaminic
Benadryl	Diphenhydramine	Pediatan	Trinalin
Bentyl	Dramamine	Periactin	Tylenol (any but plain)
Benzotropin	Drixoral	Polyhistine	Unisom
Biohist	Durahist	Pyribenzamine	Vicks
Bonine	Duratan	Rescon	Vistacot
Bromfed	Duravent	Restall	Vistaril IM
Brompheniramine	Dytan	Robitussin	Xyzal
Carbinoxamine	Excedrin PM	Rondec	Zyrtec

## ANTI-INFLAMMATORY

Anti-inflammatory medications must be stopped **7 days** prior to allergy testing

Aspirin	Celebrex	
Motrin	Aleve	Naprosyn (Naproxen)
Flexeril	Advil	Excedrin (PM & Cold/Sinus)
Ibuprofen	Alka-Seltzer	Prednisone
Vioxx	Meloxicam	cold medications

## BETA BLOCKERS

Beta blocker drugs need to be stopped **7 days** prior to allergy testing.

**DO NOT STOP WITHOUT PRESCRIBING PROVIDERS AUTHORIZATION!**

### ORAL

<u>Brand Name</u>	<u>Generic Name</u>
Apo-Metoprolol	metoprolol
Apo-Propranolol	propranolol
Betaloc	metoprolol
Betapace/AF	sotalol
Blocadren	timolol
Cartrol	carteolol
Coreg	carvedilol
Corgard	nadolol
Detensol	propranolol
Inderal LA	propranolol
InnoPran XL	propranolol
Kerlone	betaxolol
Levatol	penbutolol
Lopressor	metoprolol
Navopranol	propranolol
Sectral	labetalol
Slow-Trasicor	oxprenolol
Sorine	sotalol
Sotacar	sotalol
Tenormin	atenolol
Toprol XL	metoprolol
Trandate	labetalol
Trasicor	oxprenolol
Visken	pindolol
Zebeta	bisoprolol

### COMBINATION PRODUCTS

<u>Brand Name</u>	<u>Generic Name</u>
Cobetaloc	metoprolol/HCTZ
Corzide	Nadolol
Inderide	propranolol/HCTZ
Normozide	labetalol/HCTZ
Tenoretic	atenolol/chlorthalidone
Timolide	timolol/HCTZ
Viskazide	pindolol/HCTZ
Ziac	bisoprolol/HCTZ

### OCULAR (EYE)

<u>Brand Name</u>	<u>Generic Name</u>
AK Beta	levobunolol
Betagan	levobunolol
Betimol	timolol
Betoptic S	betaxolol
Cosopt	timolol/dorzolamide
Ocumeter	timolol
Ocupress	carteolol
OptiPranolol	metipranolol
Timoptic/Ocudose	timolol

## H2 ANTAGONISTS

H2 antagonists must be stopped **5 days** prior to allergy testing

<u>Brand Name</u>	<u>Generic Name</u>
Axid	nizatidine
Meclizine	meclizine
Pepcid	famotidine
Phenergan	promethazine
Tagamet	cimetidine
Zantac	rantidine

NOTE: This list is not all inclusive. Please contact the allergy nurse or your personal physician should you have any questions regarding your medications.

## ANTIDEPRESSANTS

Antidepressants need to be stopped **7 days** prior to allergy testing/treatment

**PLEASE CONSULT WITH YOUR PRESCRIBING PHYSICIAN BEFORE STOPPING ANY ANTIDEPRESSANT!**

### TRICYCLIC ANTIDEPRESSANTS

<u>Brand Name</u>	<u>Generic Name</u>
Adapin	doxepin HCL
Apo-Trimip	trimipramine maleate
Asendin	amoxapine
Aventyl	nortriptyline HCL
Elavil	amitriptyline
Endep	amitriptyline
Emitrip	amitriptyline
Endlil	amitriptyline
Etrafon	amitriptyline
Impril	imipramine HCL
Levate	amitriptyline
Limbitrol	amitriptyline
Meravil	amitriptyline
Pamelor	nortriptyline HCL
Rolavil	amitriptyline
Sinequan	doxepin HCL
Surmontil	trimipramine maleate
Tofranil PM	impramine HCL/pamoate
Triadapin	doxepin HCL
Tripramine	imipramine HCL

### MAO INHIBITORS

<u>Brand Name</u>	<u>Generic Name</u>
Eutonyl	pargyline
Eutron	pargyline
Furoxone	furazolidone
Matulane	probarbazine
Nardil	phenelzine
Parnate	parnate

NOTE: This list is not all inclusive. Please contact the allergy nurse or your personal physician should you have any questions regarding your medications.